

Fig. 1

Sheet 1 of 3




Fig. 2

Test No.	Application Parameters										Gun - Target mm	Dye Concentra g/l	Thickener %	Wetting Agent g/l	Acid regulator g/l	Steam Hood min	Autoclave min
	Fan Air	Atom Air	Fluid flow rate	Robot speed	Overlap												
	Bar	Bar	cc/min	mm/sec	%												
1	1.5	2	1000	600	50	150	5	0	6	2	0	5	0				
2	1.5	2	1000	600	50	150	5	0	6	2	0	5	0				
3	1.5	2	1000	600	50	150	5	0	6	2	1	5	0				
4	1.5	2	1000	600	50	150	5	0	6	2	1	0	0				
5	1.5	2	1000	600	50	150	10	0	6	2	0	5	0				
6	1.5	2	1000	600	50	150	10	0	6	2	5	0	0				
7	1.5	2	1000	600	50	150	20	0	6	2	0	5	0				
8	1.5	2	1000	600	50	150	20	0	6	2	5	0	0				
9	1.5	2	1000	600	50	150	20	0	6	2	5	0	0				
10	1.5	2	1000	600	50	150	20	0	6	2	10	5	0				
11	1.5	2	800	600	50	150	10	0	6	2	0	5	0				
12	1.5	2	800	600	50	150	10	0	6	2	5	0	0				
13	1.5	2	800	600	50	150	20	0	6	2	0	5	0				
14	1.5	2	800	600	50	150	20	0	6	2	5	0	0				
15	1.5	2	600	600	50	150	20	0	6	2	0	1	5				
16	1.5	2	600	600	50	150	20	0	6	2	0	5	0				
17	1.5	2	600	600	50	150	20	0	6	2	5	0	0				
18	1.5	2	600	600	50	150	20	0	6	2	10	0	0				
19	1.5	2	600	600	50	150	20	0	6	2	0	0	0				

Fig. 3

32

30